Brain Research, 437 (1987) 407–409
Elsevier

Author Index

Akagawa, K., Hicks, D. and Barnstable C.J., Histiotypic organization and cell differentiation in rat retinal reaggregate cultures, 298
Albers, H.E., Minamitani, N., Stopa, E. and Ferris, C.F., Light selectively alters vasoactive intestinal peptide and peptide histidine isoleucine immunoreactivity within the rat suprachiasmatic nucleus, 189
Aoki, C., Joh, T.H. and Pickel, V.M., Ultrastructural localization of β-adrenergic receptor-like immunoreactivity in the cortex and neostriatum of rat brain, 264
Arissiar, K., see Ichikawa, M., 131
Arora, P.K., see Morandi, A., 69
Asanuma, H., see Bornschlegl, M., 121
Asanuma, H., see Ichikawa, M., 131

Baker, D.G., see Mitchell, R.A., 157
Barbeau, H., Julien, C. and Rossignol, S., The effects of clonidine and yohimbine on locomotion and cutaneous reflexes in the adult chronic spinal cat, 83
Barmack, N.H. and Nelson, B.J., Influence of long-term optokinetic stimulation on eye movements of the rabbit, 111
Barnstable, C.J., see Akagawa, K., 298
Barraclough, C.A., see Gitler, M.S., 332
Barrett, J.A., see Shaikh, M.B., 9
Basbaum, C.B., see Mitchell, R.A., 157
Beales, M., see Oltmans, G.A., 183
Bingmann, D., see Lipinski, H.-G., 26
Bloomquist, J.R., see Stuart, A.M., 77
Bornschlegl, M. and Asanuma, H., Importance of the projection from the sensory to the motor cortex for recovery of motor function following partial thalamic lesion in the monkey, 121
Brožek, G., see Hernández-Cáceres, J., 360
Bulloch, A.G.M., see Jones, P.G., 56
Bureš, J., see Hernández-Cáceres, J., 360

Cadet, J.L., Kuyatt, B., Fahn, S. and De Souza, E.B., Differential changes in ^{125}I-LSD-labeled 5-HT-2 serotonin receptors in discrete regions of brain in the rat model of persistent dyskinesias induced by iminodipropionitrile (IDPN): evidence from autoradiographic studies, 383
Campbell, J.N., see Meyer, R.A., 181
Cardo, B., see Ferssiwi, A., 142
Carlen, P.L., see Davies, M.F., 239
Choi, D.W., see Kim, J.P., 103
Csillag, A., Stewart, M.G. and Curtis, E.M., GABAergic structures in the chick telencephalon: GABA immunocytochemistry combined with light and electron microscope autoradiography, and Golgi impregnation, 283
Curtis, E.M., see Csillag, A., 283

Davies, M.F., Sasaki, S.E. and Carlen, P.L., Benzodiazepine-induced epileptiform activity in vitro, 239
Delaney, C.E., see Thornton, S.N., 339
Del Pilar Gutierrez, M., see Neary, J.T., 161
De Souza, E.B., Whitehouse, P.J., Folstein, S.E., Price, D.L. and Vale, W.W., Corticotropin-releasing hormone (CRH) is decreased in the basal ganglia in Huntington's disease, 355
De Souza, E.B., see Cadet, J.L., 383
Détári, L. and Vanderwolf, C.H., Activity of identified cortically projecting and other basal forebrain neurones during large slow waves and cortical activation in anaesthetized rats, 1
Dreifuss, J.J., see Dubois-Dauphin, M., 151
Dubois-Dauphin, M., Tribollet, E. and Dreifuss, J.J., A sexually dimorphic vasopressin innervation of auditory pathways in the guinea pig brain, 151

Edwards, D.L., Poletti, C.E. and Foote, W.E., Evidence for leucine-enkephalin immunoreactive neurons in the medulla which project to spinal cord in squirrel monkey, 197
El Mestikawy, S., see Soubrie, P., 323

Fahn, S., see Cadet, J.L., 383
Ferris, C.F., see Albers, H.E., 189
Ferssiwi, A., Cardo, B. and Velley, L., Gustatory preference–aversion thresholds are increased by ibotenic acid lesion of the lateral hypothalamus in the rat, 142
Folstein, S.E., see De Souza, E.B., 355
Foote, W.E., see Edwards, D.L., 197
Fritschy, J.-M., Lyons, W.E., Mullen, C.A., Kosofsky, B.E., Molliver, M.E. and Grzanna, R., Distribution of locus coeruleus axons in the rat spinal cord: a combined anterograde transport and immunohistochemical study, 176

Gambetti, P., see Morandi, A., 69
Gitler, M.S. and Barraclough, C.A., Effects of drugs which modify catecholamine activity on amplification of LH release induced by locus coeruleus electrical stimulation, 332
Graybiel, A.M., see Jimenez-Castellanos, J., 349
Grzanna, R., see Fritschy, J.-M., 176

Hamon, M., see Soubrie, P., 323
Harris, L.H., The eye movements evoked by a rotating linear acceleration vector in the cat depend on a central velocity storage mechanism, 393
Herbert, D.A., see Mitchell, R.A., 157
Hermann, K., Raizada, M.K., Sumners, C. and Phillips, M.I., Presence of renin in primary neuronal and glial cells from rat brain, 205
Hernández-Cáceres, J., Macias-González, R., Brožek, G. and Bureš, J., Systemic ketamine blocks cortical spreading depression but does not delay the onset of terminal anoxic depolarization in rats, 360
Hicks, D., see Akagawa, K., 298
Higashi, S., see Murakami, F., 379

Ichikawa, M., Arissiar, K. and Asanuma, H., Reorganization of the projection from the sensory cortex to the motor cortex following elimination of the thalamic projection to the motor cortex in cats; Golgi, electron microscope and degeneration study, 131
Iwata, H., see Matsuda, T., 375

Jimenez-Castellanos, J. and Graybiel, A.M., Subdivisions of the primate substantia nigra pars compacta detected by acetylcholinesterase histochemistry, 349
Joh, T.H., see Aoki, C., 264
Jones, P.G., Rosser, S.J. and Bulloch, A.G.M., Glutamate suppression of feeding and the underlying output of effector neurons in *Helisoma*, 56
Julien, C., see Barbeau, H., 83

Katsumaru, H., see Murakami, F., 379
Kim, J.P., Koh, J.-Y. and Choi, D.W., L-Homocysteate is a potent neurotoxin on cultured cortical neurons, 103
Kita, H., see Nakanishi, H., 35
Kita, H., see Nakanishi, H., 45
Kitai, S.T., see Nakanishi, H., 35
Kitai, S.T., see Nakanishi, H., 45
Koh, J.-Y., see Kim, J.P., 103
Kosofsky, B.E., see Fritschy, J.-M., 176
Kuyatt, B., see Cadett, J.L., 383

Lestienne, R. and Strehler, B.L., Time structure and stimulus dependence of precisely replicating patterns present in monkey cortical neuronal spike trains, 214
Lipinski, H.-G. and Bingmann, D., Diffusion in slice preparations bathed in unstirred solutions, 26
Lorden, J.F., see Oltmans, G.A., 183
Ludvig, N. and Moshé, S.L., Cyclic AMP derivatives injected into the inferior colliculus induce audiogenic seizure-like phenomena in normal rats, 193
Lyons, W.E., see Fritschy, J.-M., 176

Macias-Gonzáles, R., see Hernándéz-Cáceres, J., 360
Martin, P., see Soubrie, P., 323
Matsuda, T. and Iwata, H., Decrease of high affinity ouabain binding in rat cerebellum and hypothalamus by thiamin deficiency, 375
Meredith, G.E., see Roberts, B.L., 171
Meyer, R.A. and Campbell, J.N., Coupling between unmyelinated peripheral nerve fibers does not involve sympathetic efferent fibers, 181
Mimura, K., The effect of partial covering of the eye on the results of selective deprivation of visual pattern in the fly, 97
Minamitani, N., see Albers, H.E., 189
Mitchell, R.A., Herbert, D.A., Baker, D.G. and Basbaum, C.B., In vivo activity of tracheal parasympathetic ganglion cells innervating tracheal smooth muscle, 157
Molliver, M.E., see Fritschy, J.-M., 176
Morandi, A., Gambetti, P., Arora, P.K. and Sayre, L.M., Mechanism of neurotoxic action of β,β'-iminodipropionitrile (IDPN): *N*-hydroxylation enhances neurotoxic potency, 69
Moshé, S.L., see Ludvig, N., 193
Moss, L.E., see Oltmans, G.A., 183
Mullen, C.A., see Fritschy, J.-M., 176
Murakami, F., Higashi, S., Katsumaru, H. and Oda, Y., Formation of new corticorubral synapses as a mechanism for classical conditioning in the cat, 379

Nakanishi, H., Kita, H. and Kitai, S.T., Electrical membrane properties of rat subthalamic neurons in an in vitro slice preparation, 35
Nakanishi, H., Kita, H. and Kitai, S.T., Intracellular study of rat substantia nigra pars reticulata neurons in an in vitro slice preparation: electrical membrane properties and response characteristics to subthalamic stimulation, 45
Neary, J.T., Norenberg, L.-O.B., Del Pilar Gutierrez, M. and Norenberg, M.D., Hyperammonemia causes altered protein phosphorylation in astrocytes, 161
Nelson, B.J., see Barmack, N.H., 111
Neyt, H.C., see Ruigt, G.S.F., 309
Nojyo, Y., see Tamamaki, N., 387
Norenberg, L.-O.B., see Neary, J.T., 161
Norenberg, M.D., see Neary, J.T., 161

Oda, Y., see Murakami, F., 379
Oka, H., see Yamamoto, T., 369
Okamoto, K., see Sekiguchi, M., 402
Oltmans, G.A., Moss, L.E., Lorden, J.F. and Beales, M., Acute and chronic effects of climbing fiber lesions on cerebellar cyclic guanosine monophosphate, 183

Park, O.-K. and Ramirez, V.D., Pregnanolone, a metabolite of progesterone, stimulates LH-RH release: in vitro and in vivo studies, 245
Phillips, M.I., see Hermann, K., 205
Pickel, V.M., see Aoki, C., 264
Poletti, C.E., see Edwards, D.L., 197
Prasad, C., Neuropeptide–dopamine interactions. I. Dopaminergic mechanisms in cyclo(His-Pro)-mediated hypothermia in rats, 345
Price, D.L., see De Souza, E.B., 355
Publicover, S.J., see Sahaf, Z.Y., 397

Raizada, M.K., see Hermann, K., 205
Ramirez, V.D., see Park, O.-K., 245
Roberts, B.L. and Meredith, G.E., Immunohistochemical study of a dopaminergic system in the spinal cord of the ray, *Raja radiata*, 171
Rosser, S.J., see Jones, P.G., 56
Rossignol, S., see Barbeau, H., 83
Ruigt, G.S.F., Neyt, H.C., Van der Zalm, J.M. and Van den Bercken, J., Increase of sodium current after pyrethroid insecticides in mouse neuroblastoma cells, 309

Sahaf, Z.Y. and Publicover, S.J., Chlorpromazine, but not chlorpromazine sulphoxide, stimulates transmitter release from motor nerve terminals, 397
Sakai, Y., see Sekiguchi, M., 402
Samejima, A., see Yamamoto, T., 369
Sasaki, S.E., see Davies, M.F., 239
Sawchenko, P.E., Evidence for differential regulation of corticotropin-releasing factor and vasopressin immunoreactivities in parvocellular neurosecretory and autonomic-related projections of the paraventricular nucleus, 253
Sayre, L.M., see Morandi, A., 69
Sekiguchi, M., Okamoto, K. and Sakai, Y., NMDA-receptors on Purkinje cell dendrites in guinea pig cerebellar slices, 402
Shaikh, M.B., Barrett, J.A. and Siegel, A., The pathways mediating affective defense and quiet biting attack behavior from the midbrain central gray of the cat: an autoradiographic study, 9
Siegel, A., see Shaikh, M.B., 9
Sirinathsinghji, D.J.S., see Thornton, S.N., 339
Sloan, K.E. and Stevenson, J.A., Differential distribution of phosphorylated and non-phosphorylated neurofilaments within the retina and optic nerve of hamsters, 365
Soderlund, D.M., see Stuart, A.M., 77
Sorkin, L.S., see Yezierski, R.P., 165
Soubrie, P., Martin, P., El Mestikawy, S. and Hamon,

M., Delayed behavioral response to antidepressant drugs following selective damage to the hippocampal noradrenergic innervation in rats, 323
Stevenson, J.A., see Sloan, K.E., 365
Stewart, M.G., see Csillag, A., 283
Stopa, E., see Albers, H.E., 189
Strehler, B.L., see Lestienne, R., 214
Stuart, A.M., Bloomquist, J.R. and Soderlund, D.M., Pharmacological characterization of the voltage-dependent sodium channels of rainbow trout brain synaptosomes, 77
Sumners, C., see Hermann, K., 205

Tamamaki, N. and Nojyo, Y., Intracranial trajectories of sympathetic nerve fibers originating in the superior cervical ganglion in the rat: WGA–HRP anterograde labeling study, 387
Thornton, S.N., Sirinathsinghji, D.J.S. and Delaney, C.E., The effects of a reversible colchicine-induced lesion of the anterior ventral region of the third cerebral ventricle in rats, 339
Tribollet, E., see Dubois-Dauphin, M., 151

Vale, W.W., see De Souza, E.B., 355
Van den Bercken, J., see Ruigt, G.S.F., 309
Vanderwolf, C.H., see Détári, L., 1
Van der Zalm, J.M., see Ruigt, G.S.F., 309
Velley, L., see Ferssiwi, A., 142

Whitehouse, P.J., see De Souza, E.B., 355
Willis, W.D., see Yezierski, R.P., 165

Yamamoto, T., Samejima, A. and Oka, H., Morphology of layer V pyramidal neurons in the cat somatosensory cortex: an intracellular HRP study, 369
Yezierski, R.P., Sorkin, L.S. and Willis, W.D., Response properties of spinal neurons projecting to midbrain or midbrain-thalamus in the monkey, 165